





milestone™

MAKING TECHNOLOGY WORK

Milestone AV Technologies is a leading designer and manufacturer of branded audiovisual products including flat panel mounting solutions, projector mounts, projection screens, equipment racks, PTZ cameras and furniture for AV markets. Milestone's innovative products are sold under the Chief, Da-Lite, Projecta, Vaddio and Sanus brand names. All brands work together to provide a breadth of product, strength of longevity, and advantage of superior customer service and support.

CHIEF

Chief focuses on commercial AV flat panel and projector mounts. Home Theater, Workstation and Custom Display Solutions are also part of the Chief product offering. Known in the industry for high quality mounts with both Custom and Universal options, as well as an extensive accessories line, Chief is focused on professional installers worldwide.

DA-LITE

For over 100 years, Da-Lite has been designing, manufacturing and marketing the most comprehensive line of projection screens in the world. Today, we offer our widest selection ever of proprietary projection screen fabrics and materials in our history.

PROJECTA

Projecta is Europe's leading manufacturer of high quality projection screens. We design, develop and build an extensive range of projection screens in the largest projection screen manufacturing facility in Europe, located in Weert, the Netherlands. Founded in 1952, we have 60 years of experience, and over time we have grown to become your trusted source for projection screen solutions.

vaddio

Vaddio manufactures professional quality PTZ cameras, Pro AV solutions and a full suite of Unified Communication and Collaboration systems. Combining enterprise class performance and industry leading support, Vaddio products enhance any AV experience by elevating the science of communication.

THIS IS VADDIO

The Art of Easy **Innovation in Communication**

Vaddio, a Milestone AV Technologies Company, designs, develops and manufactures professional quality audio video solutions for live production, lecture capture and collaboration applications.

Delivering end-to-end solutions, including PTZ cameras, camera extension systems, mounts, camera controllers and switchers, as well as USB collaboration systems, Vaddio delivers enterprise-class performance and industry-leading support with systems designed for simplicity of installation and operation.

Vaddio products enhance any audio visual experience by elevating the science of communication with The Art of Easy.



Table of Contents

USB Collaboration Solutions Page 4

USB Room Systems Page 5

USB Camera Solutions Page 7

USB Audio Solutions Page 8

AV Bridges Page 12

AV Bridge Solutions Page 13

Professional Cameras Page 16

PTZ Direct Output Cameras Page 17

Cameras with Extension Kits Page 20

Fixed Cameras Page 23

Camera Selection Matrix Page 24

Camera Mounts Page 26

Controls & Switchers Page 34

Tracking Systems Page 35

Triggers Page 36

Camera Control Solutions Page 37

Switchers Page 38

Camera Extensions Page 39

USB COLLABORATION SOLUTIONS

Vaddio's line of USB products lets you transform your personal computer into an effective and affordable enterprise-class room system. Whether it's a small videoconferencing system or distance learning, Vaddio gives you the tools you need to make your software applications work in a real world AV environment.

Vaddio's Unified Communication and Collaboration tools include HD-USB cameras, a full suite of USB audio components and USB systems for plug-and-play simplicity. All of Vaddio's Unified Communication and Collaboration tools are based on Universal Video and Audio Class (UVC/UAC) standards, eliminating the need for custom software drivers or a particular OS to be installed on the PC, allowing them to work seamlessly with any soft client conferencing system including Skype for Business, Google+, Cisco Jabber and any lecture capture software such as Tegrity and Panopto.

Vaddio's Unified Communication and Collaboration tools truly bridge the gap from PC applications to professional AV solutions that allow users the opportunity to engage in any type of collaboration and conference activity across the enterprise.

USB Room Systems

Enterprise-class USB collaboration tools designed for plug-and-play simplicity.

Elevate the Huddle Room Experience

ConferenceSHOT™ AV Enterprise-Class Conferencing System

Optimized video and audio performance for huddle rooms and small to medium meeting spaces

With sharp video and powerful sound, the ConferenceSHOT AV brings conferencing to a new level. ConferenceSHOT AV is a PTZ 10X zoom camera with audio inputs and outputs that let you connect a speaker and two Vaddio microphones.

ConferenceSHOT AV turns your BYOD device into a small space UC system with professional PTZ camera quality and full room audio performance. It's a significant step up in performance from the current webcam-based technology offerings. This USB-based solution makes it easy to collaborate using Skype for Business, Webex, Zoom, BlueJeans, Google Hangouts, Vidyo and other leading UC services.

ConferenceSHOT AV – Bundles

Vaddio offers a variety of ConferenceSHOT AV bundles for huddle rooms, small and medium conference rooms.

All bundles provide:

- USB 3.0 connection to access leading web services including Skype For Business, Zoom, Webex, Google Hangouts, BlueJeans and others
- USB 3.0 connection delivers uncompressed video from leading UC Solutions, for the most natural, high quality experience.





ConferenceSHOT AV Bundle – Group

Ideal for Medium Conference Spaces

- Includes ConferenceSHOT AV, ConferenceSHOT Speaker and Two EasyMIC Table MicPODs
- HD PTZ Camera with 10X zoom, 74° Wide Horizontal Field of View supporting up to 1080p/60 resolution
- Two (2) Table MicPODs with 360° coverage and independent echo cancellation and equalization
- Powered speaker (20W) with integrated performance and installation with ConferenceSHOT AV
- All necessary cables for UCC connectivity, see Vaddio catalog if longer cable solutions are necessary

NORTH AMERICA BLACK/SILVER 999-9995-400 | INTERNATIONAL 999-9995-401

NORTH AMERICA WHITE 999-9995-400W | INTERNATIONAL 999-9995-401W



ConferenceSHOT AV Bundle – Huddle

Ideal for Huddle or Small Conference Spaces

- Includes ConferenceSHOT AV, ConferenceSHOT Speaker and EasyMIC Table MicPOD
- HD PTZ Camera with 10X zoom, 74° Wide Horizontal Field of View supporting up to 1080p/60 resolution
- Table MicPOD with 360° coverage and independent echo cancellation and equalization
- Powered speaker (20W) with integrated performance and installation with ConferenceSHOT AV
- All necessary cables for UCC connectivity, see Vaddio catalog if longer cable solutions are necessary

NORTH AMERICA BLACK/SILVER 999-9995-300 | INTERNATIONAL 999-9995-301

NORTH AMERICA WHITE 999-9995-300W | INTERNATIONAL 999-9995-301W



ConferenceSHOT AV Bundle – Basic

Ideal for Huddle or Small Conference Spaces

- Includes ConferenceSHOT AV, HDMI Audio Inserter Kit (not shown) to use display speakers and EasyMIC Table MicPOD
- HD PTZ Camera with 10X zoom, 74° Wide Horizontal Field of View supporting up to 1080p/60 resolution
- Table MicPOD with 360° coverage and independent echo cancellation and equalization
- HDMI Audio Inserter to allow use of existing monitor speakers and maintain echo cancellation
- All necessary cables for UCC connectivity, see Vaddio catalog if longer cable solutions are necessary

NORTH AMERICA BLACK/SILVER 999-9995-500 | INTERNATIONAL 999-9995-501

NORTH AMERICA WHITE 999-9995-500W | INTERNATIONAL 999-9995-501W



ConferenceSHOT AV Bundle – Integrator 1

Ideal for Huddle or Small Conference Spaces

- Includes ConferenceSHOT AV, ConferenceSHOT Speaker and EasyMIC Ceiling MicPOD
- HD PTZ Camera with 10X zoom, 74° Wide Horizontal Field of View supporting up to 1080p/60 resolution
- Ceiling MicPOD with 360° coverage and independent echo cancellation and equalization
- Powered speaker (20W) with integrated performance and installation with ConferenceSHOT AV
- Telnet interface available for third-party control; see Vaddio Integration Guides for alternative methods of integrating audio solutions to ConferenceSHOT AV

NORTH AMERICA BLACK/SILVER 999-9995-100 | INTERNATIONAL 999-9995-101

NORTH AMERICA WHITE 999-9995-100W | INTERNATIONAL 999-9995-101W



ConferenceSHOT AV Bundle – Integrator 2

Ideal for Medium Conference Spaces

- Includes ConferenceSHOT AV, ConferenceSHOT Speaker and Two EasyMIC Ceiling MicPODs
- HD PTZ Camera with 10X zoom, 74° Wide Horizontal Field of View supporting up to 1080p/60 resolution
- Two (2) ceiling MicPODs with 360° coverage and independent echo cancellation and equalization
- Powered speaker (20W) with integrated performance and installation with ConferenceSHOT AV
- Telnet interface available for third-party control; see Vaddio Integration Guides for alternative methods of integrating audio solutions to ConferenceSHOT AV

NORTH AMERICA BLACK/SILVER 999-9995-200 | INTERNATIONAL 999-9995-201

NORTH AMERICA WHITE 999-9995-200W | INTERNATIONAL 999-9995-201W

USB Camera Solutions

Enterprise-class cameras to transform your personal computer into an effective, affordable meeting room system.



ConferenceSHOT AV Camera

PTZ Camera with Integrated Audio — Ideal for huddle, small and medium conference rooms

Benefits

- Unified Communication/Collaboration system with PTZ camera, microphone inputs and speaker output
- USB 3.0 connection to access leading web services: Skype For Business, Zoom, Webex, Google Hangouts, BlueJeans and others
- Enterprise support through built-in web server and IP video (H.264) streaming for configuration, control and remote management

Features

- HD PTZ Camera with 10X zoom, 74° Wide Horizontal Field of View supporting up to 1080p/60 resolution
- Supports up to two Vaddio Table or Ceiling MicPODs
- Line level output with power supporting the optional ConferenceSHOT Speaker – or integrate into existing audio infrastructure
- Full system bundles available for easy ordering, installation and configuration

NORTH AMERICA BLACK/SILVER 999-9995-000 | INTERNATIONAL 999-9995-001

NORTH AMERICA WHITE 999-9995-000W | INTERNATIONAL 999-9995-001W



ConferenceSHOT 10 Camera

Enterprise Class, HD PTZ Conferencing Camera

Benefits

- High quality PTZ camera for use in meeting space configurations accessing Unified Communication/ Collaboration services
- USB 3.0 connection to access leading web services: Skype For Business, Zoom, Webex, Google Hangouts, BlueJeans and others
- Enterprise support through built-in web server and IP video (H.264) streaming for configuration, control and remote management

Features

- Precise Pan/Tilt control with 10X Optical Zoom Lens
- 74° Wide Horizontal Field of View
- 1080p/60 resolution with Exmor 1/2.8-Type 2.14 effective Megapixels high-speed, low-noise CMOS image sensor
- Presenter-ready remote control or integration-ready Telnet/Serial interface
- Simultaneous uncompressed USB 3.0 and IP (H.264) streaming outputs

NORTH AMERICA BLACK/SILVER 999-9990-000 | INTERNATIONAL 999-9990-001

NORTH AMERICA WHITE 999-9990-000W | INTERNATIONAL 999-9990-001W

USB Audio Solutions

Audio solutions that connect to your PC, allowing users to engage in any type of collaboration and conference activity.



EasyMic Ceiling MicPOD

- Ceiling microphone providing 360° coverage through three mic elements with independent acoustic echo cancellation, equalization and noise reduction
- White 2.5" spherical design with 36" adjustable cable; mounted from hidden plenum-rated ceiling interface enclosure
- Simple integration using Cat5/6 cables to EasyMIC supported equipment

WORLDWIDE WHITE 999-8510-000 | Black 999-8515-000



EasyMic Table MicPOD (with keypad)

- Table microphone providing 360° coverage through three mic elements with independent acoustic echo cancellation, equalization and noise reduction
- Keypad for audio controls providing access to room or USB control interfaces
- Simple integration using Cat5/6 cables to EasyMIC supported equipment

WORLDWIDE 999-8500-000



EasyMic Table MicPOD (without keypad)

- Table microphone providing 360° coverage through three mic elements with independent acoustic echo cancellation, equalization and noise reduction
- Simple integration using Cat5/6 cables to EasyMIC supported equipment

WORLDWIDE 999-8550-000



EasyUSB Mixer/Amp

- Ideal for interfacing EasyMic MicPODs and speaker outputs to USB connected devices
- Audio input mixer supports up to two EasyMIC MicPODS and one line input for audio access over USB 2.0
- Audio outputs include amplified speaker output supporting 2x20W and one line output

NORTH AMERICA 999-8530-000 | INTERNATIONAL 999-8530-001



EasyUSB PRO MIC I/O

- Interface for third party microphones to interface into EasyMIC port supported products - ConferenceSHOT AV, EasyUSB Mixer/Amp
- Supports up to four microphones per EasyMIC port output
- Each input mic port supports wideband echo cancellation, XLR mic level inputs with assignable phantom power, high and low cut filters, GPIO and front panel lockout
- Output plugs into one EasyMic Port to inject microphone audio into USB connected devices

WORLDWIDE 999-8520-000



EasyUSB MicPOD I/O

- Interface for EasyUSB MicPODs to connect to a 3rd-party audio conferencing mixer
- Up to four (4) EasyUSB MicPOD inputs converted to four balanced line outputs with echo cancellation reference

NORTH AMERICA 999-8535-000 | INTERNATIONAL 999-8535-001



EasyUSB Sound Bar

- Sound bar speaker (non-powered) for use with EasyUSB Mixer/Amp

WORLDWIDE 999-8565-000



EasyTalk USB Audio Bundles - System A

- Single table microphone audio conference bundle
- EasyUSB Mixer/Amp
- EasyMic Table MicPOD with integrated Echo Canceling
- EasyUSB Sound Bar Speaker

NORTH AMERICA Black 999-8620-000 | **INTERNATIONAL** 999-8620-001



EasyTalk USB Audio Bundles - System B

- Dual table microphone audio conference bundle
- EasyUSB Mixer/Amp
- Two EasyMic Table MicPODs with integrated Echo Canceling
- EasyUSB Sound Bar Speaker

NORTH AMERICA Black 999-8630-000 | **INTERNATIONAL** 999-8630-001



EasyTalk USB Audio Bundles - System C

- Dual ceiling microphone audio conference bundle
- EasyUSB Mixer/Amp
- Two EasyMic Ceiling MicPODs with integrated Echo Canceling
- Bose DS-16 Speaker kit

NORTH AMERICA White 999-8640-000 | **INTERNATIONAL** 999-8640-001



Bose® DS-16 Speaker Kit

- For use with EasyUSB Mixer/Amp or other amplified audio source
- Two white Bose DS-16 Ceiling Speakers
- Includes hardware for flush ceiling mount installation

WORLDWIDE 999-8560-000



ConferenceSHOT Speaker

- Powered Conferencing Speaker for use with ConferenceSHOT AV
- Dual 2" (50.8mm) full range drivers with 20W integrated power amp
- Cable and mounting hardware included for integrated ConferenceSHOT AV installation

WORLDWIDE Black 999-9995-003

WORLDWIDE White 999-9995-003W



EasyUSB MicPOD I/O and Two Ceiling MicPODs

- Dual ceiling microphones with interface for third-party audio conferencing mixer
- Includes: one EasyUSB MicPOD I/O and two white EasyMic Ceiling MicPODs with integrated Echo Canceling

NORTH AMERICA Black 999-8800-000 | **INTERNATIONAL** 999-8800-001



EasyUSB MicPOD I/O and Four Ceiling MicPODs

- Four ceiling microphones with interface for third-party audio conferencing mixer
- Includes: one EasyUSB MicPOD I/O and four EasyMic Ceiling MicPODs with integrated Echo Canceling

NORTH AMERICA Black 999-8810-000 | **INTERNATIONAL** 999-8810-001

AV BRIDGES

The AV Bridge family from Vaddio marries professional AV quality with the power of PC applications to create an exceptional audio-visual communication experience.

AV Bridge products make it simple to encode, capture, and stream your AV content from cameras and audio through a variety of PC applications such as Skype for Business, WebEx or Google. Field tested and proven – AV Bridge is the industry standard for converting AV equipment to USB streams.

AV Bridge Solutions

Harness the power of Vaddio's AV Bridge equipment to capture, encode and stream your audio and video sources to PC applications like Skype for Business and WebEx.



AV Bridge

Ideal for Huddle or Small Conference Spaces

- Capture and stream meetings to PC
- USB 2.0 or RTSP Streaming (Real Time Streaming Protocol)
- Balanced or Unbalanced Audio Inputs

NORTH AMERICA 999-8210-000 | INTERNATIONAL 999-8210-001



AV Bridge Conference

HD UC Conferencing System

- Stream audio and video to PC for UC application (Skype for Business, Webex, Google)
- Bi-directional audio
- USB 2.0 or RTSP Streaming

NORTH AMERICA 999-8215-000 | INTERNATIONAL 999-8215-001




EasyUSB AudioBRIDGE

Convert professional audio systems into USB audio stream for UC applications

- Balanced (+4dBu) or unbalanced (-10dBu) mono line inputs mapped to record channel
- Balanced or unbalanced mono line level output mapped to the playback channel
- USB audio uses UAC (Universal Audio Class) drivers in the PC or Mac OS

NORTH AMERICA 999-8536-000 | INTERNATIONAL 999-8536-001



Mix, Capture, Control and Stream IT'S A COMPLETE AV ROOM SOLUTION IN ONE BOX



AV Bridge MATRIX PRO

The technology in AV Bridge MATRIX PRO bridges the gap between PC applications and AV equipment. Now you can connect multiple cameras, microphones, displays and control, mix, switch and capture all from a single device. Users retain all the capabilities of a traditional conference room with the added capability of cloud connection and content distribution.

Why have a full rack of gear when one device can do it all?

- All-in-one AV room solution
- AV Switcher with simultaneous USB and IP streaming
- Four input video switcher
- Three built-in Quick-Connect camera extensions
- 8x4 audio matrix
- Four mic/line inputs with individual echo cancellation channels
- Four EasyMic ports for use with EasyUSB MicPOD devices
- Integrated web server for programming, control and management

See page 15 for compatible cameras and audio solutions that pair with AV Bridge MATRIX PRO for a full room solution.

NORTH AMERICA Black 999-8230-000 | **INTERNATIONAL** 999-8230-001

AV Bridge MATRIX PRO

Pairs Perfectly with Any of These Vaddio Solutions

AV Bridge MATRIX PRO Cameras



RoboSHOT 30

Black 999-9910-500



RoboSHOT 12

999-9900-500



ZoomSHOT 20

999-6920-000



WideSHOT

999-6910-500

AV Bridge MATRIX PRO Microphones



EasyMic Table
MicPOD with
Keypad

999-8500-000



EasyMic Ceiling
MicPOD

White 999-8510-000



EasyMic Ceiling
MicPOD

Black 999-8515-000



EasyUSB
PRO MIC I/O

999-8520-000

* CAMERAS AND MICS NOT AVAILABLE FOR INDIVIDUAL SALE. AVAILABLE ONLY WITH AV BRIDGE MATRIX PRO.

PROFESSIONAL CAMERAS

From conference rooms to auditoriums and everything in between, Vaddio has a professional high-definition camera solution that hits your target with world class precision. Offering a distinct lineup of PTZ and fixed point-of-view cameras, we carry the most complete camera line for AV applications on the market today.

Vaddio's flagship RoboSHOT® PTZ cameras provide pristine image quality and color reproduction, with unsurpassed flexibility for integration and control. The RoboSHOT PTZ family includes both direct video output cameras and those with integrated camera extension systems.

Expanding the leadership in PTZ cameras with extensions, Vaddio has introduced OneLINK™ systems. Engineered for simplicity, the OneLINK HDMI camera extension system uses a single Cat-5e/6 cable to stretch power, video and control up to 100 meters, adding utility while easing integration and reducing installation cost.

Vaddio brings unprecedented capabilities and performance to even the most demanding customers.

Cameras

Vaddio's enterprise-class cameras are easy to install, easy to use and are backed by the industry's highest level of customer service. Flexible, scalable, incredible.

PTZ Direct Output Cameras



RoboSHOT 20 UHD

Premium Video. Exceptional Price.

Combining 4K video technology with the Art of Easy, the RoboSHOT 20 UHD PTZ direct output camera delivers extraordinary resolution, superb color reproduction and unmatched price performance.

RoboSHOT 20 UHD delivers Ultra HD (4K) video with pristine color reproduction even in challenging lighting conditions, and delivers exceptional HD (1080) video compared to 3-chip PTZ cameras, at a better price. With native HDBaseT™ connectivity for cable extension over single Cat-5e, and simultaneous HDBT, HDMI, HD-SDI and IP streaming outputs, RoboSHOT 20 UHD introduces a whole new class of camera quality, performance and manageability.

- All-in-one Professional class, UHD (4K) PTZ 20X Camera
- Pristine image quality – comparable to 3-chip cameras in 1080p operations
- Flexible I/O - HDBaseT, IP (H.264) HD streaming, HD-SDI output, HDMI output
- Exceptional low light performance
- Expansive IP management and control capabilities

NORTH AMERICA Black/Silver 999-9950-000 | **INTERNATIONAL** 999-9950-001

NORTH AMERICA White 999-9950-000W | **INTERNATIONAL** 999-9950-001W

PTZ Direct Output Cameras



RoboSHOT 12 HD-SDI – Black/Silver

Professional Class, HD PTZ Camera featuring:

- Simultaneous HD-SDI, HDMI and IP (H.264) Streaming
- 12X Optical Zoom Lens
- 73° Wide Horizontal Field of View
- Tri-Synchronous Motion (simultaneous 3-axis motion)
- PoE+ Gb Ethernet port for power extension
- Embedded web server for configuration, control and remote management"

NORTH AMERICA 999-9930-000 | **INTERNATIONAL** 999-9930-001



RoboSHOT 30 HD-SDI – Black or White

Professional Class, HD PTZ Camera featuring:

- Simultaneous HD-SDI, HDMI and IP (H.264) Streaming
- 30X Optical Zoom Lens
- 2.3° (tele) to 65° (wide) Horizontal Field of View
- Tri-Synchronous Motion (simultaneous 3-axis motion)
- Embedded web server for configuration, control and remote management

NORTH AMERICA Black 999-9933-000 | **INTERNATIONAL** 999-9933-001

NORTH AMERICA White 999-9933-000W | **INTERNATIONAL** 999-9933-001W



RoboSHOT 12 HDBaseT Camera – Black/Silver

Professional Class, HD PTZ Camera featuring:

- Simultaneous HDBT, HDMI and IP (H.264) Streaming
- 12X Optical Zoom Lens
- 73° Wide Horizontal Field of View
- Tri-Synchronous Motion (simultaneous 3-axis motion)
- Embedded web server for configuration, control and remote management

NORTH AMERICA 999-9960-000 | **INTERNATIONAL** 999-9960-001



RoboSHOT 30 HDBaseT Camera – Black or White

Professional Class, HD PTZ Camera featuring:

- Simultaneous HDBT, HDMI and IP (H.264) Streaming
- 30X Optical Zoom Lens
- 2.3° (tele) to 65° (wide) Horizontal Field of View
- Tri-Synchronous Motion (simultaneous 3-axis motion)
- Embedded web server for configuration, control and remote management

NORTH AMERICA Black 999-9963-000 | **INTERNATIONAL** 999-9963-001

NORTH AMERICA White 999-9963-000W | **INTERNATIONAL** 999-9963-001W



RoboSHOT 12 HDMI – Black/Silver

High-Definition PTZ Camera featuring:

- 12X Optical Zoom Lens
- HDMI or DVI-D Output (YCbCr and sRGB color space)
- 73° Wide Horizontal Field of View
- Tri-Synchronous Motion (simultaneous 3-axis motion)
- Built-in web server for configuration, control and remote management

NORTH AMERICA Black/Silver 999-9940-000 | **INTERNATIONAL** 999-9940-001



RoboSHOT 30 HDMI – Black or White

High-Definition PTZ Camera featuring:

- 30X Optical Zoom Lens
- HDMI or DVI-D Output (YCbCr and sRGB color space)
- 65° wide end to 2.3° tele end Horizontal Field of View
- Tri-Synchronous Motion (simultaneous 3-axis motion)
- Built-in web server for configuration, control and remote management

NORTH AMERICA Black 999-9943-000 | **INTERNATIONAL** 999-9943-001

NORTH AMERICA White 999-9943-000W | **INTERNATIONAL** 999-9943-001W



RoboSHOT 12 USB – Black/Silver

Enterprise Class, HD PTZ Conferencing Camera featuring:

- Simultaneous USB 3.0 Streaming (UVC), IP (H.264) High Definition Streaming and HDMI Video Outputs
- 12X Optical Zoom Lens
- 73° Wide Horizontal Field of View
- Tri-Synchronous Motion (simultaneous 3-axis motion)
- PoE+ Gb Ethernet port with built-in web server for configuration, control and remote management

NORTH AMERICA Black/Silver 999-9920-000 | **INTERNATIONAL** 999-9920-001



RoboSHOT 12 OneLINK HDBaseT System – Black/Silver Professional Class, HD PTZ Camera with Extension

- 12X Optical Zoom Lens
- HDBaseT, HDMI and IP Streaming Outputs
- 73° Wide Horizontal Field of View
- Tri-Synchronous Motion (simultaneous 3-axis motion)
- Built-in web server for configuration, control and remote management
- OneLINK HDMI Receiver Included - Extending video, power and control, up to 100 m (328') on a single Cat-5e/6 cable

NORTH AMERICA Black/Silver 999-9960-100 | **INTERNATIONAL** 999-9960-101



RoboSHOT 30 OneLINK HDBaseT System – Black or White Professional class, HD PTZ Camera with Extension

- Simultaneous HDBaseT, HDMI, and IP (H.264) Streaming
- 30X Optical Zoom Lens
- New Exmor-R Low Light Image Sensor- .1 Lux
- 2.3° (tele) to 65° (wide) Horizontal Field of View
- Tri-Synchronous Motion (simultaneous 3-axis motion)
- Embedded web server for configuration, control and remote management
- OneLINK HDMI Receiver Included - Extends HDMI video, power, Ethernet and RS-232 up to 100 m (328') on a single Cat-5e cable

NORTH AMERICA Black 999-9963-100 | **INTERNATIONAL** 999-9963-101

NORTH AMERICA White 999-9963-100W | **INTERNATIONAL** 999-9963-101W

Cameras with Extension Kits - Quick-Connect™ Extension Systems



RoboSHOT 12 QMini System – Black/Silver

Professional class, HD PTZ Camera with Extension

- 12X Optical Zoom Lens
- 73° Wide Horizontal Field of View
- Features Tri-Synchronous Motion
- Built-in Web Server (setup and control)
- Quick-Connect USB Mini Receiver with USB 2.0 Output
- Quick-Connect extends power/video/control on two Cat-5's up to 100' (30.5 m)

NORTH AMERICA Black/Silver 999-9901-000 | **INTERNATIONAL** 999-9901-001



RoboSHOT 30 QMini System – Black or White

Professional class, HD PTZ Camera with Extension

- 30X Optical Zoom Lens
- Features Tri-Synchronous Motion
- Built-in Web Server (setup and control)
- Quick-Connect USB Mini Receiver with USB 2.0 Output included
- Quick-Connect extends power/video/control on two Cat-5's up to 100' (30.5 m)

NORTH AMERICA Black 999-9911-000 | **INTERNATIONAL** 999-9911-001

NORTH AMERICA White 999-9911-000W | **INTERNATIONAL** 999-9911-001W



RoboSHOT 12 QDVI System – Black/Silver

Professional class, HD PTZ Camera with Extension

- 312X Optical Zoom Lens
- 73° Wide Horizontal Field of View
- Features Tri-Synchronous Motion
- Built-in Web Server (setup and control)
- Quick-Connect DVI with HDMI-DVI-D and HDYPbPr Outputs
- Quick-Connect extends power/video/control on two Cat-5's up to 100' (30.5 m)

NORTH AMERICA Black/Silver 999-9906-000 | **INTERNATIONAL** 999-9906-001



RoboSHOT 30 QDVI System – Black or White

Professional class, HD PTZ Camera with Extension

- 30X Optical Zoom Lens
- 65° wide-end to 2.2 tele-end Horizontal Field of View
- Features Tri-Synchronous Motion
- Built-in Web Server (setup and control)
- Quick-Connect DVI with HDMI-DVI-D and HDYPbPr Outputs
- Quick-Connect extends power/video/control on two Cat-5's up to 100' (30.5 m)

NORTH AMERICA Black 999-9916-000 | **INTERNATIONAL** 999-9916-001

NORTH AMERICA White 999-9916-000W | **INTERNATIONAL** 999-9916-001W

Cameras with Extension Kits - Quick-Connect™ Extension Systems



RoboSHOT 12 QUSB System – Black/Silver

Professional class, HD PTZ Camera with Extension

- 12X Optical Zoom Lens
- 73° Wide Horizontal Field of View
- Features Tri-Synchronous Motion
- Built-in Web Server (setup and control)
- Quick-Connect USB with HDMI, HDYPbPr and USB 2.0 or RTSP streaming Outputs
- Quick-Connect extends power/video/control on two Cat-5's up to 100' (30.5 m)

NORTH AMERICA Black/Silver 999-9909-000 | **INTERNATIONAL** 999-9909-001



RoboSHOT 30 QUSB System – Black or White

Professional class, HD PTZ Camera with Extension

- 30X Optical Zoom Lens
- 65° wide-end to 2.3 tele-end Horizontal Field of View
- Features Tri-Synchronous Motion
- Built-in Web Server (setup and control)
- Quick-Connect USB with HDMI, HDYPbPr and USB 2.0 or RTSP streaming Outputs
- Quick-Connect extends power/video/control on two Cat-5's up to 100' (30.5 m)

NORTH AMERICA Black 999-9919-000 | **INTERNATIONAL** 999-9919-001

NORTH AMERICA White 999-9919-000W | **INTERNATIONAL** 999-9919-001W



RoboSHOT 12 QCCU System – Black/Silver

Professional Class, HD PTZ Camera with Extension

- 12X Optical Zoom Lens
- 73° Wide Horizontal Field of View
- Features Tri-Synchronous Motion
- Built-in Web Server (setup and control)
- Quick Connect CCU- Power/Video/Control on three Cat-5's up to 500' (152.5 m)
- Quick-Connect CCU Interface with HDMI, HD-SDI and HD YPbPr Outputs
- Tactial Button Controls for all major camera image settings

NORTH AMERICA Black/Silver 999-9907-000 | **INTERNATIONAL** 999-9907-001



RoboSHOT 30 QCCU System – Black or White

Professional Class, HD PTZ Camera with Extension

- 30X Optical Zoom Lens
- 65° wide-end to 2.3 tele-end Horizontal Field of View
- Features Tri-Synchronous Motion
- Built-in Web Server (setup and control)
- Quick Connect CCU- Power/Video/Control on three Cat-5's up to 500' (152.5 m)
- Quick-Connect CCU Interface with HDMI, HD-SDI and HD YPbPr Outputs
- Tactial Button Controls for all major camera image settings

NORTH AMERICA Black 999-9917-000 | **INTERNATIONAL** 999-9917-001

NORTH AMERICA White 999-9917-000W | **INTERNATIONAL** 999-9917-001W

Fixed Cameras – AV Bridge MATRIX PRO Compatible Cameras



WideSHOT QMini System – Black/Silver

Fixed HD Camera with Extension

- Manual Lens with 82° Horizontal Field of View
- Quick-Connect USB Mini Receiver with USB 2.0 Output included
- Quick-Connect extends power/video/control on two Cat-5's up to 100'

NORTH AMERICA Black/Silver 999-6911-100 | **INTERNATIONAL** 999-6911-101



WideSHOT QUSB System – Black/Silver

Fixed HD Camera with Extension

- Manual Lens with 82° Horizontal Field of View
- Built-in Web Server (setup and control)
- Quick-Connect USB with HDMI, HDYPbPr and USB 2.0 or RTSP streaming Outputs
- Quick-Connect extends power/video/control on two Cat-5's up to 100'

NORTH AMERICA Black/Silver 999-6911-000 | **INTERNATIONAL** 999-6911-001



ZoomSHOT 20 QMini System - Black/Silver

Fixed HD Camera with Extension

- 20X Zoom Lens
- 63° Wide to 3.47° Tele Horizontal Field of View
- Quick-Connect USB Mini Receiver with USB 2.0 Output included
- Quick-Connect extends power/video/control on two Cat-5's up to 100'

NORTH AMERICA Black/Silver 999-6920-400 | **INTERNATIONAL** 999-6920-401



ZoomSHOT 20 QDVI System - Black/Silver

Fixed HD Camera with Extension

- 20X Zoom Lens
- 63° Wide to 3.47° Tele Horizontal Field of View
- Quick-Connect DVI with HDMI-DVI-D and HDYPbPr Outputs
- Quick-Connect extends power/video/control on two Cat-5's up to 100'

NORTH AMERICA Black/Silver 999-6920-200 | **INTERNATIONAL** 999-6920-201



CeilingVIEW HD-18 QDVI System - Black/White

Fixed HD Camera with Extension

- 18X Zoom Lens
- Quick-Connect DVI with HDMI-DVI-D and HDYPbPr Outputs
- Quick-Connect extends power/video/control on two Cat-5's up to 100'

NORTH AMERICA Black/White 999-3028-000 | **INTERNATIONAL** 999-3028-001



CeilingVIEW HD-18 QUSB System – Black/White















Fixed Ceiling HD Camera with Extension

















- 18X Zoom Lens
- Quick-Connect DVI with HDMI, HDYPbPr, and USB 2.0 or RTSP Streaming Outputs
- Quick-Connect extends power/video/control on two Cat-5's up to 100'

NORTH AMERICA Black/White 999-3029-000 | **INTERNATIONAL** 999-3029-001

Choose Your Camera – Vaddio Makes It Easy

Consider the following to help you choose your Camera.

	Direct Output Pan Tilt Zoom (PTZ) Cameras						
	UHD Cameras	HD-SDI Cameras		HDMI Cameras		HDBaseT PZT Cameras	
							
Model	RoboSHOT 20 UHD	RoboSHOT 30 HD-SDI	RoboSHOT 12 HD-SDI	RoboSHOT 30 HDMI	RoboSHOT 12 HDMI	RoboSHOT 30 HDBaseT	RoboSHOT 12 HDBaseT
Colors	Black/Silver or White	Black or White	Black/Silver	Black or White	Black/Silver	Black or White	Black/Silver
Room Size	Medium to large rooms	Medium to large rooms	Small to medium conference rooms, training rooms or classrooms that require a wide angle of view	Medium to large rooms	Small to medium conference rooms, training rooms or classrooms that require a wide angle of view	Medium to large rooms	Small to medium conference rooms, training rooms or classrooms that require a wide angle of view
Optical Zoom	12X with 1.67 CVZ for 20X total useable	30X Optical Zoom	12X Optical Zoom (Super-Wide Mode)	30X Optical Zoom	12X Optical Zoom (Super-Wide Mode)	30X Optical Zoom	12X Optical Zoom (Super-Wide Mode)
Horiz. Angle of View	74.0° Wide End to 3.7° Tele End	65.0° Wide End to 2.3° Tele End	73.0° Wide End to 6.6° Tele End	65.0° Wide End to 2.3° Tele End	73.0° Wide End to 6.6° Tele End	65.0° Wide End to 2.3° Tele End	73.0° Wide End to 6.6° Tele End
Minimum Illumination	.75 Lux (F1.8, 50IRE, 1/30 sec (High sensitivity mode on))	1.4 Lux (F1.6, 50IRE, 1/30 sec)	1.0 Lux (F1.8, 50IRE, 1/30 sec)	1.4 Lux (F1.6, 50IRE, 1/30 sec)	1.0 Lux (F1.8, 50IRE, 1/30 sec)	0.1 Lux (F1.6, 50IRE, 1/30 sec, color)	1.0 Lux (F1.8, 50IRE, 1/30 sec)
Video Outputs	Simultaneous -3Gb/s HD-SDI -HDMI -IP Streaming -HDBaseT	Simultaneous, -3Gb/s HD-SDI -HDMI -IP Streaming	Simultaneous, -3Gb/s HD-SDI -HDMI -IP Streaming	HDMI	HDMI	Simultaneous -HDMI -HDBaseT -IP Streaming	Simultaneous -HDMI -HDBaseT -IP Streaming
Quick-Connect Compatibility							
OneLINK Compatibility	OneLINK HDMI	OneLINK HDMI	OneLINK HDMI	OneLINK HDMI	OneLINK HDMI	OneLINK HDMI	OneLINK HDMI
PoE Compatibility	PoE+	PoE+	PoE+			PoE+	
Image Sensor	1/2.3 - Type Exmor-R, Backside illuminated image sensor	1/2.8 - Type Exmor CMOS	1/2.8 - Type Exmor CMOS	1/2.8 - Type Exmor CMOS	1/2.8 - Type Exmor CMOS	1/2.8 - Type Exmor CMOS	1/2.8 - Type Exmor CMOS
Pixels	8.93 Megapixel (9.03 Total Megapixel)	2.14 Megapixel (2.38 Total Megapixel)	2.14 Megapixel (2.38 Total Megapixel)	2.14 Megapixel (2.38 Total Megapixel)	2.14 Megapixel (2.38 Total Megapixel)	2.13 Megapixel (2.38 Total Megapixel)	2.14 Megapixel (2.38 Total Megapixel)
Top Resolution	UHD - 2160p/29.97	HD - 1080p/60	HD - 1080p/60	HD - 1080p/60	HD - 1080p/60	HD - 1080p/60	HD - 1080p/60
PTZ Motors	Silent BLDC Direct Drive Motorst	Silent BLDC Direct Drive Motors	Silent BLDC Direct Drive Motor	Silent BLDC Direct Drive Motor	Silent BLDC Direct Drive Motors	Silent BLDC Direct Drive Motors	Silent BLDC Direct Drive Motors
Tri-Sync Motion	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Pan/Tilt Range	Pan: ±160°, Tilt: +90° to -30°	Pan: ±160°, Tilt: +90° to -30°	Pan: ±160°, Tilt: +90° to -30°	Pan: ±160°, Tilt: +90° to -30°	Pan: ±160°, Tilt: +90° to -30°	Pan: ±160°, Tilt: +90° to -30°	Pan: ±160°, Tilt: +90° to -30°
Web Server for Remote Control	Built-in	Built-in	Built-in	Built-in	Built-in	Built-in	Built-in
Control Methods	Web Server via Browser, Telnet, RS-232 and IR Remote	Web Server via Browser, Telnet, RS-232 and IR Remote	Web Server via Browser, Telnet, RS-232 and IR Remote	Web Server via Browser, Telnet, RS-232 and IR Remote	Web Server via Browser, Telnet, RS-232 and IR Remote	Web Server via Browser, Telnet, RS-232 and IR Remote	Web Server via Browser, Telnet, RS-232 and IR Remote
Invertible	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Video SN Ratio	>50 dB	>50 dB	>50 dB	>50 dB	>50 dB	>50 dB	>50 dB
							

		Cameras with Extension Systems					
USB PTZ Cameras		RoboSHOT OneLINK Systems		Cat-5 PTZ Cameras		Cat-5 Fixed Cameras	
							
RoboSHOT 12 USB	ConferenceSHOT 10	RoboSHOT 30 OneLINK HDMI	RoboSHOT 12 OneLINK HDMI	RoboSHOT 30 Q-Series (Quick-Connects)	RoboSHOT 12 Q-Series (Quick-Connects)	ZoomSHOT 20	WideSHOT
Black/Silver	Black/Silver or White	Black or White	Black/Silver	Black or White	Black/Silver	Black/Silver	Black/Silver
Small to medium conference rooms, training rooms or classrooms that require a wide angle of view	Small to medium conference rooms, training rooms, classrooms	Medium to large rooms	Small to medium conference rooms, training rooms or classrooms that require a wide angle of view	Medium to large rooms	Small to medium conference rooms, training rooms or classrooms that require a wide angle of view	Medium to large rooms	Small huddle rooms that require high def video and a very wide angle of view
12X Optical Zoom (Super-Wide Mode)	11X Optical Zoom (Super-Wide Mode)	30X Optical Zoom	12X Optical Zoom (Super-Wide Mode)	30X Optical Zoom	12X Optical Zoom (Super-Wide Mode)	20X Optical Zoom	3X Manual Varifocal Optical Zoom
73.0° Wide End to 6.6° Tele End	74.0° Wide End to 7.6°Tele End	65.0° Wide End to 2.3° Tele End	73.0° Wide End to 6.6° Tele End	65.0° Wide End to 2.3° Tele End	73.0° Wide End to 6.6° Tele End	63.0° Wide End to 3.1° Tele End	82° Wide End to 27.4° Tele End, and 94.3° Diagonal
1.0 Lux (F1.8, 50IRE, 1/30 sec)	1.0 Lux (F1.8, 50IRE, 1/30 sec)	0.1 Lux (F1.6, 50IRE, 1/30 sec, color)	1.0 Lux (F1.8, 50IRE, 1/30 sec)	1.4 Lux (F1.6, 50IRE, 1/30 sec)	1.0 Lux (F1.8, 50IRE, 1/30 sec)	0.3 Lux (F1.6, 1/30 sec, 50 IRE)	0.1 Lux (1/30 Shutter Speed)
Simultaneous -USB 3.0 -HDMI -IP Streaming	Simultaneous -USB 3.0 -IP Streaming	Simultaneous -HDMI -HDBaseT -IP Streaming	Simultaneous -HDMI -HDBaseT -IP Streaming	Depends on choice of Quick-Connect	Depends on choice of Quick-Connect	Depends on choice of Quick-Connect	Depends on choice of Quick-Connect
				Includes choice of Quick-Connect CCU, Quick-Connect USB, Quick-Connect DVI/HDMI or Quick-Connect QMini	Includes choice of Quick-Connect CCU, Quick-Connect USB, Quick-Connect DVI/HDMI or Quick-Connect QMini	Includes choice of Quick-Connect USB, Quick-Connect DVI/HDMI or Quick-Connect QMini	Includes choice of Quick-Connect USB or Quick-Connect QMini
OneLINK HDMI	OneLINK HDMI	OneLINK HDMI	OneLINK HDMI		OneLINK HDMI	OneLINK HDMI	
	PoE+	PoE+	PoE+		PoE+	PoE+	
1/2.8 - Type Exmor CMOS	1/2.8 - Type Exmor CMOS	1/2.8 - Type Exmor-R Backside illuminated image sensor	1/2.8 - Type Exmor CMOS	1/2.8 - Type Exmor CMOS	1/2.8 - Type Exmor CMOS	1/2.8 - Type Exmor CMOS	1/3 - Type Exmor CMOS
2.14 Megapixel (2.38 Total Megapixel)	2.14 Megapixel	2.13 Megapixel (2.38 Total Megapixel)	2.14 Megapixel (2.38 Total Megapixel)	2.14 Megapixel (2.38 Total Megapixel)	2.14 Megapixel (2.38 Total Megapixel)	2.14 Megapixel (2.38 Total Megapixel)	1.3 Megapixel
HD - 1080p/60	HD - 1080p/60	HD - 1080p/60	HD - 1080p/60	HD - 1080p/60	1.3 Megapixel	1.3 Megapixel	1.3 Megapixel
Silent BLDC Direct Drive Motors	Stepper Motors	Silent BLDC Direct Drive Motors	Silent BLDC Direct Drive Motors	Silent BLDC Direct Drive Motors	Silent BLDC Direct Drive Motors	No Motors - Manual	No Motors - Manual
Yes	No	Yes	Yes	Yes	Yes	No	No
Pan: ±160°, Tilt: +90° to -30°	Pan: ±160°, Tilt: +90° to -30°	Pan: ±170°, Tilt: +90° to -30°	Pan: ±160°, Tilt: +90° to -30°	Pan: ±160°, Tilt: +90° to -30°	Pan: ±160°, Tilt: +90° to -30°	Fixed: Pan(Manual): ± 180° Tilt(Manual): ± 30°	Fixed: Pan(Manual): ± 180° Tilt(Manual): ± 30°
Built-in	Built-in	Built-in	Built-in	Built-in	Built-in		
Web Server via Browser, Telnet, RS-232 and IR Remote	Web Server via Browser, Telnet, RS-232 and IR Remote	Web Server via Browser, Telnet, RS-232 and IR Remote	Web Server via Browser, Telnet, RS-232 and IR Remote	Web Server via Browser, Telnet, RS-232 and IR Remote	Web Server via Browser, Telnet, RS-232 and IR Remote	RS-232 and IR Remote	RS-232 and IR Remote
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
>50 dB	>50 dB	>50 dB	>50 dB	>50 dB	>50 dB	>50 dB	>50 dB
							

Camera Mounts

Built for strength and durability, Vaddio mounting hardware holds cameras to the highest standard.

Wall Mounts



Thin Profile Wall Mount Bracket for Cisco Precision 60

- Wall Mount for Cisco Precision 60 Cameras

WORLDWIDE 535-2000-241



Thin Profile Wall Mount Bracket for Polycom EagleEye IV

- Wall Mount for Polycom EagleEye IV Cameras

WORLDWIDE 535-2000-242



Thin Profile Wall Mount Bracket for Polycom EagleEye/ EagleEye II/Eagle Eye III

- Wall Mount for Polycom EagleEye / EagleEye II / EagleEye III PTZ Cameras

WORLDWIDE 535-2000-221



Thin Profile Wall Mount Bracket for LifeSize HD Camera

- Wall Mount for LifeSize HD Camera

WORLDWIDE 535-2000-222



Thin Profile Wall Mount Bracket for LifeSize 10x Camera

- Wall Mount for LifeSize 10x Camera

WORLDWIDE 535-2000-234



Thin Profile Wall Mount Bracket for Cisco Precision HD

- Wall Mount for Cisco Precision HD PTZ Camera

WORLDWIDE 535-2000-217



Thin Profile Wall Mount Bracket for RoboSHOT PTZ Cameras

- Wall mount for the Vaddio RoboSHOT 12 and 30 PTZ Cameras.

WORLDWIDE 535-2000-240



Thin Profile Wall Mount Bracket for Vaddio HD-Series Cameras

- ClearVIEW HD-20SE/HD-USB and PowerVIEW HD-22/HD-30 Cameras White or Black

WORLDWIDE Black 535-2020-230 | White 535-2020-230W



Thin Profile Wall Mount Bracket for Sony and Panasonic PTZ Cameras

- Wall Mount for Sony SRG-120/300 and Panasonic AW-HE40 PTZ Cameras

WORLDWIDE Black 535-2000-243



Thin Profile Wall Mount Bracket for Sony H700, Canon XU-80/80W, Panasonic AW-HE120/130

- Wall Mounting bracket for Sony BRC-H700, Canon XU-80/80W, Panasonic AW-HE120/130

WORLDWIDE 535-2000-223



Thin Profile Wall Mount Bracket for Sony BRC-X1000/H900/H800/Z700

- Wall Mounting bracket for Sony BRC-X1000/H900/H800/Z700 Cameras

WORLDWIDE 535-2000-225



Thin Profile Wall Mount Bracket for Sony BRC-Z330

- Wall Mounting bracket for Sony BRC-Z330

WORLDWIDE 535-2000-231

Wall Mounts



Thin Profile Wall Mount Bracket for Sony EVI-D80/D90 White or Black

- Wall Mounting bracket for Sony EVI-D80/D90 White or Black

WORLDWIDE Black | White 535-2000-236W



Thin Profile Wall Mount Bracket for Sony EVI-HD1

- Wall Mounting bracket for Sony EVI-HD1 and Polycom EagleEye 1080 HD

WORLDWIDE 535-2000-216



WallVIEW PRO-CCU HD1 Wall Mounting Bracket

- Wall Mount for WallVIEW PRO HD1/CCU HD1 PTZ camera systems

WORLDWIDE 535-2000-227



Thin Profile Wall Mount Bracket for Sony HD7V/HD3V

- Wall Mounting bracket for Sony HD7V/HD3V PTZ Cameras

WORLDWIDE 535-2000-232



Thin Profile Wall Mount Bracket for Sony EVI-D70 White or Black

- Wall Mounting bracket for Sony EVI-D70 White or Black

WORLDWIDE Black 535-2000-205B | White 535-2000-205



Thin Profile Wall Mount Bracket for Sony EVI-D100 White or Black

- Wall Mounting bracket for Sony EVI-D100 White or Black

WORLDWIDE Black 535-2000-204B | White 535-2000-204



Thin Profile Wall Mount Bracket for Canon VC-C50i

- Wall Mount for Canon VC-C50i PTZ Camera

WORLDWIDE Black 535-2000-207



RoboTRAK Double Decker Wall Mount

- Double Decker Wall Mount for RoboTRAK IR Camera and Choice of RoboSHOT 12/30 or RoboSHOT 20 UHD

WORLDWIDE 535-2000-044

In-Wall Mounts



IN-Wall Enclosure for Vaddio HD-Series Cameras

- Attractive In-Wall Enclosure for ClearVIEW HD-20SE/HD-USB, PowerVIEW HD-22/HD-30 cameras designed to fit the EZCamera Interface Module (EZIM) in the back of the box to enable Cat-5 cabling

WORLDWIDE 999-2225-018



IN-Wall Enclosure for RoboSHOT PTZ Cameras

- Enclosure for the Vaddio RoboSHOT 12 and 30 PTZ Cameras

WORLDWIDE 999-2225-118



IN-Wall Enclosure for Vaddio RoboSHOT 20 UHD Ultra High Definition Camera

- Attractive In-Wall Enclosure for RoboSHOT 20 UHD

WORLDWIDE 999-2225-021



IN-Wall Enclosure for Vaddio ConferenceSHOT 10 High Definition Camera

- Attractive IN-Wall Enclosure for ConferenceSHOT 10

WORLDWIDE 999-2225-022



IN-Wall Enclosure for Sony BRC-Series, Canon XU-80, Panasonic AW-HE130

- The IN-Wall Enclosure for the Sony BRC-X1000/H900/H800/Z700/300, Canon XU-80, and Panasonic AW-HE1230 is designed and sized to fit the entire PTZ Camera system including the camera, EZIM and dongle to enable the use of Cat-5 cabling

WORLDWIDE 999-2225-016



IN-Wall Enclosure for Sony BRC-Z330, Sony EVI-D80/90

- Attractive IN-Wall Enclosure for Sony BRC-Z330, and Sony EVI-D80/90 designed to fit the EZCamera Interface Module (EZIM) in the back of the box to enable Cat-5 cabling

WORLDWIDE 999-2225-019



IN-Wall Enclosure for Cisco Precision 60

- Attractive IN-Wall Enclosure for Cisco Precision 60 designed to fit the EZCamera Interface Module (EZIM) in the back of the box to enable Cat-5 cabling

WORLDWIDE 999-2225-020



IN-Wall Enclosure for Sony EVI-HD1

- Attractive IN-Wall Enclosure for Sony EVI-HD1 designed to fit the EZCamera Interface Module (EZIM) in the back of the box to enable Cat-5 cabling

WORLDWIDE 999-2225-014



IN-Wall Enclosure for WideSHOT/ZoomSHOT 20/Sony EVI-D70

- Attractive In-Wall Enclosure for the WideSHOT, ZoomSHOT 20 and Sony EVI-D70 designed to fit the EZCamera Cable shoe in the back of the box to enable Cat-5 cabling

WORLDWIDE 999-2225-012



IN-Wall Enclosure for Polycom EagleEye, Cisco Precision HD, LifeSize 4x

- Attractive IN-Wall Enclosure for Polycom EagleEye/EagleEye II/EagleEye III, Cisco Precision HD, and LifeSize 4x designed to fit the EZCamera Interface Module (EZIM) in the back of the box to enable Cat-5 cabling

WORLDWIDE 999-2225-015



IN-Wall Enclosure for LifeSize 10x

- Attractive IN-Wall Enclosure for LifeSize 10x designed to fit the EZCamera Interface Module (EZIM) in the back of the box to enable Cat-5 cabling

WORLDWIDE 999-2225-220

Ceiling Mounts



Off-Set Drop Down Mount for Vaddio RoboSHOT and HD-Series PTZ Cameras

- Off-set drop down ceiling mount (24"/60.1 cm); compatible with Vaddio RoboShot and HD-Series PTZ camera systems

WORLDWIDE 535-2000-296



Off-Set Drop Down Mount for Sony BRC-Series Cameras, Panasonic AW-HE130, and Canon XU-80W Cameras

- Off-set drop down ceiling mount (28"/71 cm) compatible with Sony BRC X1000/H900/H800/Z700/300, Panasonic AW-HE130/HE120, Canon XU-80W, WallVIEW PRO and CCU camera systems

WORLDWIDE 535-2000-294



Drop Down Mount for Large PTZ Cameras - Short

- Drop down ceiling mount (12"/30.5 cm) compatible with WallVIEW PRO HD1/CCU HD1/EagleEye/EagleEye II/EagleEye III, Cisco Precision HD and Sony EVI-HD1 camera systems

WORLDWIDE 535-2000-292



Drop Down Mount for Large PTZ Cameras - Long

- Drop down ceiling mount (24"/60.1 cm) compatible with WallVIEW PRO HD1/CCU HD1/EagleEye/EagleEye II/EagleEye III, Cisco Precision HD and Sony EVI-HD1 camera systems


WORLDWIDE 535-2000-293



Drop Down Mount for Small PTZ Cameras - Short

- Drop down ceiling mount (12"/30.5 cm) compatible with Vaddio Model 50/70/80/90/100 PTZ camera systems

WORLDWIDE 535-2000-290



Drop Down Mount for Small PTZ Cameras - Long

- Drop down ceiling mount (24"/60.1 cm) compatible with Vaddio Model 50/70/80/90/100 PTZ camera systems

WORLDWIDE 535-2000-291



Offset Drop Down Ceiling Mount for RoboTRAK Double Decker Mount

- Offset drop down ceiling mount for use with the RoboTRAK Double Decker Mount (RoboTRAK Double Decker Mount not included)

WORLDWIDE 535-2000-045



IN-Ceiling Half Recessed Enclosure for Vaddio HD-Series Cameras

- For mounting the Vaddio HD-Series PTZ Cameras halfway into a ceiling tile

WORLDWIDE 999-2225-050



IN-Ceiling Half Recessed Enclosure for RoboSHOT PTZ Cameras

- For mounting the RoboSHOT 12 and 30 PTZ Cameras halfway into a ceiling tile

WORLDWIDE 999-2225-150



Suspended Ceiling Mount for Vaddio Cameras

- For mounting the Vaddio RoboSHOT, WideSHOT/ZoomSHOT, HD-Series and Vaddio (Sony) Model 70 cameras to a ceiling tile

WORLDWIDE 535-2000-206

Dome-View Mounts



DomeVIEW HD Indoor Flush Dome Enclosure for Vaddio RoboSHOT and HD-Series PTZ Cameras

- Indoor Flush Dome Enclosure (12"/30.5 cm) for use with Vaddio RoboSHOT and HD-Series PTZ Cameras

WORLDWIDE 998-9000-200



DomeVIEW HD Indoor & Outdoor Weather Resistant Pendant Dome Enclosure for Vaddio RoboSHOT and HD-Series PTZ Cameras

- Indoor Pendant Dome Enclosure (12"/30.5 cm) for use with Vaddio RoboSHOT and HD-Series PTZ Cameras
- Indoor comes in clear glass; outdoor comes in smoke tinted glass

WORLDWIDE Indoor 998-9100-200 | Outdoor 998-9200-200



Dome Option for Vaddio RoboSHOT and HD-Series PTZ Cameras - Clear or Smoke Tinted

- Replacement dome for Outdoor Pendant Dome (12"/30.5 cm) with stainless steel screws for Vaddio RoboSHOT and HD-Series PTZ Cameras

WORLDWIDE Clear 998-9000-210 | Smoke Tinted 998-9000-220



Flush Mount Dome and Bracket for Sony EVI-D70

- Flush Mount Dome (7.3"/18.5 cm) for use with Sony EVI-D70 PTZ cameras

WORLDWIDE 998-9000-070



Flush Mount Dome and Bracket for Canon VC-C50iR

- Flush Mount Dome for use with Canon VC-C50iR camera.

WORLDWIDE 998-9000-050

CONTROL & SWITCHERS

Vaddio's Precision Camera Controllers (PCC) take your video production solution to the next level. Combining a precision hall-effect joystick with integrated control for preset operations and image control for Vaddio®, Sony® and Panasonic® PTZ cameras, the PCC family meets the most demanding camera control applications.

Centralize your campus camera control center with the PCC Premier. It raises the bar in IP camera control when paired with RoboSHOT® PTZ cameras. The PCC Premier incorporates a H.264 decoder virtualizing camera control over an IP network for remote operating centers. You can view RoboSHOT IP video streams directly from the controller.

RoboTRAK™ expands Vaddio's technology leadership in automated presenter tracking systems. Based on an IR tracking algorithm, an instructor simply wears a lanyard and the RoboTRAK follows the instructor. Pair with any RoboSHOT camera and the RoboTRAK sends its pan/tilt info to create production worthy video – all without an operator. Optimized for large venue classrooms, RoboTRAK makes intelligent tracking easy.

Completing Vaddio's controls solutions are the StepView™, AutoView™ and PresenterPod™ products. These trigger-based systems run camera presets by pushing a button, stepping on a mat, or simply by walking under a sensor.

ProductionView™ products combine camera control, video switching and graphics into an all-in-one live production system. They're designed for operators of all skill levels to switch effortlessly among multiple cameras, capturing every aspect of an event. Connect a TeleTouch™ touch screen to the multiviewer output of the ProductionView for an intuitive user interface that any volunteer can run by touching the live video feed on the screen. Pair ProductionVIEW with RoboSHOT PTZ cameras to complete the production solution. ProductionView is offered in either HD-SDI or analog versions.

Tracking System

Ideal for classrooms or training rooms,
Vaddio tracking systems let instructors
focus on teaching, not technology.



RoboTRAK™ Presenter Tracking System

RoboTRAK is an IR lanyard-based camera tracking system designed to provide a smooth and accurate panning and tilting motion that follows the instructor as they walk around the presentation area of a classroom.

System Includes:

- RoboTRAK IR Camera
- IR Lanyard with 40 hour battery life
- USB Charger and cable for IR Lanyard
- RoboTRAK Double Decker Wall Mount and Hardware
- One Microsemi PoE+ Midspan power injector and IEEE802.3at Splitter
- Cables Power and Cat-5e patch

Important Note:

RoboSHOT Video Camera is not included with the system. Select from RoboSHOT 20 UHD 4K Camera, RoboSHOT 12/30 Cat-5 with Quick-Connect, RoboSHOT 12/30 HD-SDI, RoboSHOT 12/30 HDMI or RoboSHOT 12 USB.

NORTH AMERICA 999-7270-000 | INTERNATIONAL 999-7270-001

Triggers

Vaddio triggers for automated tracking systems make it easy for the presenter to automate cameras and audio sources.



PresenterPOD System

Manual Trigger System for MATRIX PRO, ProductionVIEW & AutoPresenter

- Choice of momentary or latching triggers
- For use with MATRIX PRO and ProductionVIEW



NORTH AMERICA 999-1111-000 | INTERNATIONAL 999-1111-001



Additional PresenterPOD Option

One PresenterPOD with Trigger 4-buttons to add to PresenterPOD Interface

- For use with MATRIX PRO and ProductionVIEW

WORLDWIDE 998-1111-002



AutoVIEW IR Sensor Kit

Single IR Ceiling-Mounted Presenter Sensor

- AutoVIEW IR Interface Controller & Power Supply
- For use with MATRIX PRO and ProductionVIEW

NORTH AMERICA 999-1701-100 | INTERNATIONAL 999-1701-101



StepVIEW Mat - Small Exposed

Presence-Sensing Mat - 44"(112 cm) x 27.5" (70 cm)

- For use with MATRIX PRO and ProductionVIEW

WORLDWIDE 999-1511-000



StepVIEW Mat – Large Exposed

Presence-Sensing Mat - 57"(145 cm) x 27.5" (70 cm)

- For use with MATRIX PRO and ProductionVIEW

WORLDWIDE 999-1512-000

Camera Control Solutions

All-in-one operator-tended systems that combine fully-featured, multi-camera control with intuitive operation.

Mix, Capture, Control and Stream THE NEXT GENERATION OF ANYWHERE, ANYTIME CONTROL

Our camera control systems are a great addition to any remote studio or state-of-the-art broadcast facility.



PCC Premier

Precision Camera Controller Premier

- IP Control of any RoboSHOT or ClearSHOT camera anywhere on the IP Network
- RS-232 control of up to eight (8) Vaddio, and select Sony or Panasonic PTZ Cameras
- Built-in RTSP Decoder with HDMI output to preview RoboSHOT camera video
- Touch Panel control and precision joystick
- Full Preset & Recall function per camera
- Built-in CCU functions for painting & matching cameras
- Built-in web server for configuration, control and remote management

NORTH AMERICA 999-5750-000 | **INTERNATIONAL** 999-5750-001



ProductionVIEW Precision Camera Controller

Camera Controller with Built-in CCU Control

- Red & Blue Gain, Detail, Iris and Gain Controls
- Hall-Effect Joystick and Manual Focus Controls
- Seven (7) Discrete, RS-232C Camera Control Ports
- Supports Vaddio, Sony, Panasonic, and Canon PTZ Cameras

NORTH AMERICA 999-5700-000 | **INTERNATIONAL** 999-5700-001

Switchers

Intuitive, easy-to-use switchers provide power, performance and affordability.



ProductionVIEW HD MV

Video Switcher with Integrated Camera Control System

- Preview output can be configured as the Multiviewer output
- 6- DVI-I input for RGBHV, DVI-D and HDMI
- 2- DVI outputs (program/preview)
- Supports resolutions up to and including 1080p/60 and 1920x1200 at 60 HZ
- Transitions include speed controlled cross-fade, wipes (9), cut and fade to black
- 12 camera presets per PTZ camera input
- Lower screen graphics feature
- Knobs for adjusting focus, iris, and pan/tilt/zoom speeds

NORTH AMERICA 999-5625-000 | INTERNATIONAL 999-5625-001



ProductionVIEW HD-SDI MV

Video Switcher with Integrated Camera Control System

- Preview output can be configured as the Multiviewer output
- 5- HD-SDI input up to 3G
- 1- DVI Input for content sources
- 2- HD-SDI or HDMI outputs (program/preview)
- Transitions include speed controlled cross-fade, wipes (9), cut and fade to black
- 12 camera presets per PTZ camera input
- Lower screen graphics feature
- Knobs for adjusting focus, iris, and pan/tilt/zoom speeds

NORTH AMERICA 999-5655-000 | INTERNATIONAL 999-5655-001



ProductionVIEW HD

- Six HD/SD Inputs can be up/down-converted from 480i to 1080p analog SD/HD or RHV resolutions
- Transitions include cross-fade, wipes (9), cut, fade to black
- 12 camera presets per PTZ camera input
- Lower screen graphics feature for inserting graphics over video
- Knobs for adjusting focus, iris, and pan/tilt/zoom speeds

NORTH AMERICA 999-5600-000 | INTERNATIONAL 999-5600-001



TeleTouch 22" HD Touch Screen LCD Monitor with Base

- Full HD video, input resolutions 1080p/60 and 1080p/50
- Resistive touch screen surface — 22"/55.8 cm diagonal
- DVI and RS-232 cables included
- Worldwide power cord set included (North America, Europe & UK)
- Accessory for ProductionVIEW HD MV series consoles

WORLDWIDE 999-5520-022

Camera Extensions

Camera installation just got easier! Vaddio's camera interfaces extend video, power and control over Cat 5e/6 cables from 100 to 500 feet.

OneLINK™ for Vaddio Cameras



OneLINK HDMI for RoboSHOT HDMI Cameras

Single Cat-5e/6 video, power and control extension, up to 100 m (328'), using HDBaseT™ technology. System includes:

- OneLINK HDMI Interface (head-end)
- OneLINK HDMI EZIM (camera end)
- Camera cables (HDMI, Cat-5e, Power)
- Power supply and AC cord set

NORTH AMERICA 999-9590-000 | INTERNATIONAL 999-9590-001



OneLINK HDMI Receiver for Vaddio HDBaseT Cameras

Single Cat-5e/6 video, power and control extension, up to 100 m (328'), for use with Vaddio HDBaseT™ Cameras*. System includes:

- OneLINK HDMI Receiver only (no EZIM needed)
- 48 VDC power supply with AC Cord Set

**Compatible direct connection with RoboSHOT 20 UHD and RoboSHOT 12/30 HDBT Cameras with HDBaseT OneLINK Port.*

NORTH AMERICA 999-1105-043 | INTERNATIONAL 999-1105-143

Quick-Connect™ for Third-Party Cameras



WallVIEW PRO for EagleEye I, II and III Cameras

Pro Series video, power and control extension, up to 152 m (500'), over three Cat-5e cables for Polycom EagleEye I/II/III Cameras. System includes:

- Quick-Connect PRO Interface, EZIM PRO Camera Interface
- Camera cables and control adapter, camera mount and hardware
- Power supply and AC cord set

NORTH AMERICA 999-9500-000 | INTERNATIONAL 999-9500-001

OneLINK™ for Third-Party Cameras



OneLINK HDMI for Sony and Panasonic HDMI Cameras

Single Cat-5e/6 video, power and control extension, up to 100 m (328'), using HDBaseT™ technology for Sony SRG-120DH, SRG-300H, Panasonic AW-HE40 and AW-HE130*. System includes:

- OneLINK HDMI Interface (head-end)
- OneLINK HDMI EZIM (camera end)
- Camera cables (HDMI, Cat-5e, Power, Codec Cable Kit)
- Power Supply and AC Cord Set
- Camera Mount and Mounting Hardware

NORTH AMERICA 999-9530-000 | **INTERNATIONAL** 999-9530-001

***WALL MOUNT FOR AW-HE130 SOLD SEPARATELY** 535-2000-223



OneLINK HDMI for Cisco Precision 60

Single Cat-5e/6 video, power and control extension, up to 100 m (328'), using HDBaseT™ technology. System includes:

- OneLINK HDMI Interface (head-end)
- OneLINK HDMI EZIM (camera end)
- Camera cables (HDMI, Cat-5e, Power, Codec Cable Kit)
- Power supply and AC cord set
- Camera mount and mounting hardware

NORTH AMERICA 999-9560-000 | **INTERNATIONAL** 999-9560-001



OneLINK HDMI for Polycom EagleEye IV Camera

Single Cat-5e/6 video, power and control extension, up to 100 m (328'), using HDBaseT™ technology for Polycom EagleEye IV Camera and Group Series Codecs. Includes:

- OneLINK HDMI Interface (head-end)
- OneLINK HDMI EZIM (camera end)
- Camera cables (HDMI, Cat-5e, Power, Codec Cable Kit)
- Power supply and AC cord set
- Camera mount and mounting hardware

NORTH AMERICA 999-9520-000 | **INTERNATIONAL** 999-9520-001



OneLINK HDMI for Cisco Precision HD Camera (S1 Type)

Single Cat-5e/6 video, power and control extension, up to 100 m (328'), using HDBaseT™ technology. System includes:

- OneLINK HDMI Interface (head-end)
- OneLINK HDMI EZIM (camera end)
- Camera cables (HDMI, Cat-5e, Power, Codec Cable Kit)
- Power supply and AC cord set
- Camera mount and mounting hardware

NORTH AMERICA 999-9555-000 | **INTERNATIONAL** 999-9555-001



THE ART OF EASY | milestone.com

T 800. 572.2011

131 Cheshire Lane, Suite 500, Minnetonka, MN 55305

©2017 Milestone AV Technologies. 160260 1/17 Vaddio is a registered trademark of Milestone AV Technologies. All other brand names or marks are used for identification purposes and are trademarks of their respective owners. All patents are protected under existing designations. Other patents pending.



BRANDS OF MILESTONE AV TECHNOLOGIES

Chief | Da-Lite | Projecta | Sanus | Vaddio